

Memo

To: Mark Skiles, City Manager
From: Kelly Somner, Superintendent of Golf Course Operations
CC:
Date: Jun 29, 2016
Subject: Used Fairway Mower

This is a request for approval to purchase a used fairway mower which is a current budget item.

Our current fairway unit is over 11 years old (2,500 hours). It has no real trade in value but we could set it up for the Parks Dept. if they would like to try it on one or more of the soccer fields.

New units are in the \$65,000 range. We would like to purchase a refurbished Toro 2012 model for \$25,000. We have purchased several pieces of equipment this way and they have met our expectations.

Although I prefer the Toro unit, I did contact two additional golf equipment dealers regarding used inventory. One did not respond and the other has used 2012 pieces available "as is" for about \$20,000 but they are not refurbished and would require additional mechanical investment to meet our needs.

Kelly Somner



Professional Turf Products, L.P.
 1010 North Industrial Blvd.
 Euless, Texas 76039
 Trey Adams
 (888) 776-8873 ext. 5438
 adamst@proturf.com



| | | | | |
|-------------|-----------------------|-----------|--------------|-----------|
| Ship To | Riverside Golf Course | | Date | 6/30/2016 |
| Bill To | | | Tax Rate | |
| Contact | Kelly Somner | | Destination | |
| Address | 10329 N2263 Rd. | | Trade-In | |
| City | Clinton, OK | | Finance | |
| State | OK | Comments: | Account Type | STD |
| Postal Code | 73601 | | | |
| Phone | (580) 323 5958 | | | |
| Fax | (580) 323-5137 | | | |

#H50T

Proposal

| Qty | Model # | Description | Unit | Extended |
|-----|--------------|--|------|-----------|
| 1 | TAG-LOT-4084 | Toro RM5510 03680 312/179 Refurbished | \$ | 25,000.00 |

| | | |
|---------------------------|-----------|------------------|
| SubTotal | \$ | 25,000.00 |
| Destination | | Included |
| Tax has not been included | \$ | - |
| TOTAL | \$ | 25,000.00 |

Comments:

For all New Equipment, Demo units may be available for up to 20% savings.
 For all New Equipment, Refurbished units may be available for up to 40% savings.

Terms & Conditions:

- Orders are considered contractual. Order cancellations are subject to fees up to 10% of the original order value.
- New equipment delivery time is estimated at six weeks from the time credit is approved & documents are executed.
- Pricing, including finance options, valid for 30 days from time of quotation.
- After 30 days all prices are subject to change without notice.
- Used and Demo equipment is in high demand and availability is subject to change.
 - Upon firm customer commitment to purchase, said equipment availability will be determined and "locked".
 - In the event equipment is unavailable at time of order, PTP will employ every resource to secure an acceptable substitute.
 - PTP strongly advises the customer to issue a firm PO as quickly as possible after acceptance of quotation.
- "Trade In Allowances" will be treated as a credit for future parts purchases on PTP account unless other arrangements have been made.

Returns Policy:

- All returns are subject to restocking, refurbishing, usage, and shipping fees.
- All returns must be able to be sold as new.
- Items missing parts are non returnable.
- Professional Turf Products will have sole discretion as to the resalable condition of the product.
- This policy does not apply to items that are defective, or shipped incorrectly by PTP or one of its vendors.

Kelly Somner

From: "Kelly Somner" <somner@sbcglobal.net>
Date: Wednesday, June 29, 2016 4:17 PM
To: "Kelly Somner" <somner@sbcglobal.net>
Subject: Fw: Used Fairway Unit

John Deere 7500

\$19,500

2012 JOHN DEERE 7500 FAIRWAY MOWER. GROOVED FRONT ROLLERS, DOWN PRESSURE KIT, CANOPY, 450 HRS.

Location: STILLWATER
Hours: 450
Stock #: 213067
Serial #: 1TC7500XPCT050168
Engine Type: Diesel
Engine Type: Diesel
GROOVED
HYD. DWN PSI
4WD
[Show more options...](#)

* AS IS, NOT REFURBISHED

From: [Alan Nietenhoefter](#)
Sent: Wednesday, June 29, 2016 3:51 PM
To: [Kelly Somner](#)
Subject: Re: Used Fairway Unit

<http://inventory.pkequipment.com>

Let me see if this works.

Alan Nietenhoefter
P&K Equipment Inc
Stillwater Site Manager
888-248-4050
405-743-4050

On Jun 29, 2016, at 3:42 PM, Kelly Somner <somner@sbcglobal.net> wrote:

Can you link it for me? I have only found the Ag page.

Thanks

From: [Alan Nietenhoefter](#)
Sent: Wednesday, June 29, 2016 3:40 PM
To: [Kelly Somner](#)

Specifications for Reelmaster 5010 Series

| | RMS210 | RMS410 | RMS510 | RMS610 |
|--------------------------|--|--|--|--|
| Engine | | | | |
| Type | Kubota 3-cylinder diesel | Kubota 4-cylinder diesel | Kubota 4-cylinder diesel | Kubota 4-cylinder diesel turbo |
| horsepower @ 3000 rpm | 28 hp (20.9 kW) | 33.5 hp (26.5 kW) | 33.5 hp (26.5 kW) | 44.2 hp (32.9 kW) |
| Traction Unit | | | | |
| Drive System | Hydrostatic w/wheel motors | Hydrostatic w/wheel motors | Hydrostatic w/wheel motors | Hydrostatic w/wheel motors |
| Traction Drive | 2WD Standard Crosstrek™ AWD Optional | 2WD Standard Crosstrek AWD Optional | 2WD Standard Crosstrek AWD Optional | 2WD Standard Crosstrek AWD Optional |
| Transport Speed | 0-10 mph (0-16 km/h) | 0-10 mph (0-16 km/h) | 0-10 mph (0-16 km/h) | 0-10 mph (0-16 km/h) |
| Mowing Speed | 0-8 mph (0-12.8 km/h) | 0-8 mph (0-12.8 km/h) | 0-8 mph (0-12.8 km/h) | 0-8 mph (0-12.8 km/h) |
| Steering Type | Power, isolated circuit | Power, isolated circuit | Power, isolated circuit | Power, isolated circuit |
| Tires | Front: 24 x 12-12 Rear: 20 x 10-10 | Front: 26.5 x 14-12 Rear: 20 x 12-10 | Front: 26.5 x 14-12 Rear: 20 x 12-10 | Front: 26.5 x 14-12 Rear: 20 x 12-10 |
| Height | 62 in. (157.5 cm) | 63 in. (160 cm) | 63 in. (160 cm) | 63 in. (160 cm) |
| Length (2WD) | 111 in. (281.9 cm) | 111 in. (281.9 cm) | 113 in. (287.9 cm) | 111 in. (281.9 cm) |
| Transport Width | 90 in. (228.6 cm) | 90 in. (228.6 cm) | 92 in. (233.7 cm) | 92 in. (233.7 cm) |
| Overall Width | 113.5 in. (288.3 cm) | 113.5 in. (288.3 cm) | 116 in. (294.6 cm) | 116 in. (294.6 cm) |
| Seat | Deluxe suspension | Deluxe suspension | Deluxe suspension | Deluxe suspension |
| Fuel Tank Capacity | 13.5 U.S. gal. (51.1 liter) | 13.5 U.S. gal. (51.1 liter) | 13.5 U.S. gal. (51.1 liter) | 13.5 U.S. gal. (51.1 liter) |
| Weight | 2,396 lbs. (1,086 kg) (2WD) 2,506 lbs. (1,136 kg) (AWD) | 2,503 lbs. (1,136 kg) (2WD) 2,615 lbs. (1,186 kg) (AWD) | 2,693 lbs. (1,221 kg) (2WD) 2,805 lbs. (1,271 kg) (AWD) | 2,756 lbs. (1,250 kg) (2WD) 2,866 lbs. (1,300 kg) (AWD) |
| Ground Pressure | 10 psi | 10 psi | 10 psi | 10 psi |
| Controls | | | | |
| Forward/Reverse | Single Pedal | Single Pedal | Single Pedal | Single Pedal |
| Service/Parking Brake | Dynamic, through traction system, pedal w/lock | Dynamic, through traction system, pedal w/lock | Dynamic, through traction system, pedal w/lock | Dynamic, through traction system, pedal w/lock |
| Mow Speed Limiter | Foot Activated Lever | Foot Activated Lever | Foot Activated Lever | Foot Activated Lever |
| Cutting Units | | | | |
| Total Width of Cut | 100 in. (254 cm) | 100 in. (254 cm) | 100 in. (254 cm) | 100 in. (254 cm) |
| Roll Diameter | 5 in. (12.7 cm) | 5 in. (12.7 cm) | 7 in. (17.8 cm) | 7 in. (17.8 cm) |
| Number of Blades | 8 | 8 | 8 or 11 | 8 or 11 |
| Height of Cut Range | 0.25-1.0 in. (6.4-25.4 mm) | 0.25-1.0 in. (6.4-25.4 mm) | 0.25-1.0 in. (6.4-25.4 mm) | 0.25-1.0 in. (6.4-25.4 mm) |
| High Height of Cut Limit | 1.5 in. (38.1 mm) | 1.5 in. (38.1 mm) | 2 in. (50.8 mm) | 2 in. (50.8 mm) |

Warranty: Two year limited. Refer to Operator's Manual for further details.

TORO® PROFESSIONAL SERVICES

Toro Financing A full service offering for all your equipment and irrigation purchases. Flexible financing options can be tailored to meet your operational needs.

Toro Protection Plus Extended Protection Plan Protect your budget and your equipment investment. Plans are available for both new and used equipment, and you can choose from various terms to fit your financing terms.

Toro Genuine Parts Keep the productivity and performance of your equipment at its peak. Learn about Performance Parts pricing and MP kits. Find replacement parts online at Toro.com/partsviewen.

Toro Training Toro Factory Service Schools are available. Explore the training and customer care areas of Toro.com and ToroSPN.com for readily available education and training materials.

Toro Controller Repair Provides irrigation controller boards ready for immediate board exchange to assure that downtime is minimal and your turf stays protected. Toro is the choice for reliability.

Toro NSN An industry-first support network that provides reliable, around-the-clock irrigation central control system trouble-shooting and operation assistance. Call 1-800-ASK-TORO.

NEW! myTurf™ Fleet This online tool from Toro keeps track of maintenance schedules for all of your turf equipment. Complete product information and parts ordering is also included. Ask your distributor for availability.

Products depicted in this brochure are for demonstration purposes only.
Actual products offered for sale may vary.
©2006 The Toro Company, 8111 Lyndale Ave. S., Bloomington, MN 55420-1196
Part No. 06-071-T. Printed in U.S.A.

Toro.com