



Agenda Commentary

Item Title/ Subject: Slide/Slide Tower Restoration

Staff Source: Morgan Bonnarens

History/Background Information: The whole structure was installed in 1989 and in that time, the slide has been resurfaced multiple times. The slide tower has been patched up and repainted.

Item/Subject Summary: I have received three quotes for the slide restoration. They range from 24,000 to 35,000 and all of them include the restoration of both the inside and outside of the slide. I am requesting approval to go ahead with the best quote that I have received.

For the slide tower, I have received one quote from a construction company around this area. That quote was \$60,000 to \$80,000. This does not include demolition and installation. I am requesting authorization to go out to bid on Tower and Stairs fabrication. We had someone come in a couple of years ago and look at the tower. We were told that the metal was starting to rust and that it was going to need to be replaced. The tower is not in very good condition. The rusting is visible and there is concern for instability in the structure.

Price/Cost: I am recommending that we go ahead with the \$24,850 estimate for the slide restoration. There is \$30,000 set aside for the restoration in the capital fund. I have spoken with Debra Blanchard about how to fund the slide Tower and Stairs Fabrication and she said that we have unappropriated capital funds that could be appropriated and committed to the project.

Recommendation: I recommend that we use the quote from The Slide Experts for the slide restoration. Their quote was the most reasonable priced and they do quality work on the slide that they do restore.



Proposal with Terms and Conditions

December 1, 2017

Morgan Bonnarens
City of Clinton
715 S 11th Street
Clinton, OK 73601
580-323-5025

Morgan,

Thank you for the opportunity to present our renovation proposal. The Slide Experts looks forward to working with The City of Clinton to determine your park's current and future needs and to demonstrate our excellent services.


The Slide Experts is the expert in the Waterpark Industry to restore and maintain Water Slides, Structures and Pools. The Owner, with over 25 years of experience in the Service and Restoration Industry, will be on site to execute this project. Our web site explains everything we do www.theslideexperts.com

Objective:

The Slide Experts objective is to Clean, Repair, Sand, Caulk, Paint Exterior and Gel Coat Interior of your (1) Open water slide, bringing you're slide surfaces and tower back to a quality finish. Below we will show Pictures, Scope of Work, Time Frame, Cost and Terms and Conditions to complete this Project.

Pictures:

Gel Coat Interior and Paint Exterior of (1) Open and Water Slide. Slide quoted at 200 ft in length.



Scope of Work:

*Power wash, repair, sand, caulk and gel coat interior of (1) Open Water Slides. Prep work is the key to a perfect gel coating and painting project. Without the proper prep your waterslides will have a good chance for failure. This complete process is a science and you need The Slide Experts with the experience, success and detail to have your waterslides refurbished to a factory new look.

*Apply 20 plus mils of gel coat to interior riding surfaces on your waterslides. It takes experience to get the right mixture of gel coat, catalyst and air. The Slide Experts knows this process to guaranty a quality finish that will last for years.

*Paint exterior of (1) open water slide.

*The Slide Experts will help train maintenance employees to help maintain their water slides so you can get the full length of life from your waterslides.

*The Slide Experts and our trained technicians will be on site to execute your project from start to finish. The Slide Experts is the leader in our industry for waterslide restoration. The Slide Experts extensive 25 years of experience sets us apart from the competition with real experience on coatings and paint.

*Sand entire interior surfaces to a 1 mil profile. The key here is experience; waterslides can easily be damaged if not sanded properly.

*Repair minor cracks, chips and damage.

*Grind open tight seams to allow for caulking.

*Caulk seams on waterslides.

*Includes all labor, supervision, equipment and materials.

*Industry standard one-year warranty against chipping or flaking, including materials and labor.

Time Frame:

4-6 working days to complete Restoration Project.

Cost for Restoration Project:

- | | |
|--|-------------|
| ▪ Gel Coat Interior of (1) Open Body Water Slide | \$17,600.00 |
| ▪ Paint Exterior of (1) Open Body Water Slide | \$7,250.00 |

TOTAL: \$24,850.00

Terms:

- 50% Due upon signing of Terms and Conditions:
- 50% Due upon completion of Project with final walk through with Client.

The Slide Experts would like to thank you in advance for this opportunity. We look forward to working with you on this and any future projects. If you should have any questions or need further information, please do not hesitate to call me at 512-298-7796 or email me at matt@theslideexperts.com

Regards,

SlideEXPERTS

Matt Gardiner
Production Manager
512-298-7796
matt@theslideexperts.com
www.theslideexperts.com

TERMS AND CONDITIONS

1. **VALIDITY OF OFFER:** Buyer shall indicate acceptance of this Agreement by returning a copy of this Agreement signed by a duly authorized representative of Buyer. If Buyer has not yet indicated acceptance of this Agreement. The Slide Experts offer to perform under the Agreement shall terminate on the earlier of (I) The Slide Experts notification (whether verbal or written) to Buyer that such offer has been terminated. (II) thirty (30)

days after the contract date listed on page 1 of this Agreement, or (III) thirty (30) days after Buyer's receipt of this Agreement.

2. **SCHEDULE OF DELIVERY:** The Slide Experts will use best efforts to provide the Deliverables in accordance with the schedule, but does not guarantee such schedule. Time is not of the essence in this Agreement and The Slide Experts is not liable for any lost profits or consequential damages suffered by Buyer or any third party for any reason. If there is a change in the scope of work or if The Slide Experts falls behind schedule due to the actions of Buyer or any third party, the parties will adjust the schedule to afford The Slide Experts a reasonable opportunity to perform the outstanding work. The Buyer may request adjustments or additions to this project. Upon receipt of the written request for adjustment or additions, The Slide Experts will provide the Buyer with an adjusted proposal. The Slide Experts requires both parties to sign the change order and to update the contract to reflect the change request. No work will occur until the change order is approved in writing by the buyer.

3. **PROJECT REQUIREMENTS.** The Slide Experts assumes responsibility for all statutes, codes, and or regulations that pertain to the Scope of Work, and will perform the work in compliance with all such requirements. The Slide Experts will, if required obtain any and all permits pertaining to the Scope of Work. It is The Slide Experts intention to complete the project on schedule and within budget. Client will have someone in a management position be available for the final walk through and be authorized to sign and approve the final walk through sheet. Unless otherwise specifically noted in the Scope of Work, The Slide Experts is expecting the following services and amenities to be freely available:

- 1) Restroom facilities.
- 2) Water with at least 40 lbs. of pressure within 50 feet of project.
- 3) 110 electric service within 50 feet of project.
- 4) Clear and reasonable access to the project area.
- 5.) Pools to be drained and/or generally clean upon arrival of our crew.
- 6.) It is expected that our crews shall work from 8 am to 8 pm seven (7) days a week as we deem necessary and we expect reasonable cooperation in making the facility available to them at no extra cost to us (e.g. weekend and / or early am work).
- 7) Provide parking for our vehicles at no charge to The Slide Experts.

4. **TAXES AND/OR DUTIES:** Any tax, tariff or duty imposed by law on articles sold or rented or any services rendered by The Slide Experts, shall be the responsibility of Buyer and in addition to the sales price hereof.

5. **PAYMENT TERMS:** Buyer agrees to pay The Slide Experts the fees in accordance with the terms set forth in this Agreement. The Slide Experts standard terms are 50% of total payment due upon signing of contract and 50% final payment due upon final walk through approved by client. Past due balances will be billed a service charge of 2% per month (or if 2% is illegal under applicable law, the maximum permitted rate) beginning the day after payment is due. Buyer agrees to pay all associated court costs, collection charges and expenses that are incurred by The Slide Experts in collection efforts including, without limitation, all attorney's fees and expenses and all costs of repossession and resale. Amounts owed under this Agreement may not be set off or offset by other obligations of the parties for any reason. If Buyer cancels or defaults on this Agreement, Buyer will pay to The Slide Experts the greater of (I) any and all deposits paid to The Slide Experts to be paid by forfeiture of such amounts, and (II) all direct and indirect costs incurred by The Slide Experts in performing under this Agreement, plus a 20% handling fee.

6. **WARRANTY:** The Slide Experts warrants all of its work will be free from defects in material and workmanship under normal use and service with proper maintenance for a period of 12 months from the date of service or installation. Full payment of project has to be meant to start the one year warranty. If The Slide Experts work is found to be defective within this time period, The Slide Experts will provide the labor and materials to repair the defects. Certain products and material warranties are provided by others and will be subject to their respective terms. **THE EXPRESS WARRANTIES CONTAINED IN THIS PARAGRAPH ARE BUYER'S SOLE AND EXCLUSIVE REMEDIES AND ARE IN LIEU OF ANY AND ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. BUYER ACKNOWLEDGES THAT IT IS NOT RELYING UPON THE SLIDE EXPERTS SKILL AND JUDGMENT TO SELECT OR FURNISH GOODS SUITABLE FOR ANY PARTICULAR PURPOSE AND THAT THERE ARE NO WARRANTIES THAT ARE NOT CONTAINED IN THIS AGREEMENT. THE SLIDE EXPERTS SHALL NOT BE LIABLE FOR DAMAGES, INCLUDING SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, ARISING OUT OF OR IN CONNECTION WITH THE PERFORMANCE OF THESE SERVICES OR THEIR USE BY BUYER. THESE WARRANTIES SHALL NOT APPLY TO PRODUCTS THAT HAVE BEEN USED IN A MANNER OUTSIDE OF THE GUIDELINES SUGGESTED BY THE SLIDE EXPERTS OR THAT HAVE BEEN SUBJECT TO ANY MISUSE OR ABUSE, MISAPPLICATION, REPAIR OR TAMPERING IN ANY WAY AS TO AFFECT PERFORMANCE.**

7. **INCORPORATION OF SAFETY INFORMATION:** Buyer acknowledges receipt of any and all written safety and operational information from original equipment manufacturer related to the safe use of the equipment including, without limitation, information related to installation, location, maintenance, use, safety surfacing and warning signs verbiage. The Slide Experts will provide Buyer with any and all such safety and operational information regarding the products and services (Deliverables) listed in the Scope of Work. Buyer further acknowledges that it has reviewed all such safety information and hereby indemnifies releases and discharges The Slide Experts from and against any and all liabilities, costs or expenses of injuries or damages to any third party as a result of any use of the equipment and Deliverables that is not in accordance with such safety information.

8. **LIMITATION OF LIABILITY:** Except for the indemnification obligations, neither party is liable to the other for consequential, incidental, direct, indirect or special damages, including commercial loss and lost profits, however caused, in excess of the fees paid under this Agreement.

9. **OWNERSHIP OF INTELLECTUAL PROPERTY:** The Slide Experts will be the sole owner or obtain any and all permissions of use from such owner, of all intellectual property rights embodied in or related to the scope of work. The Slide Experts will also own or obtain any and all permissions of use for any derivative works, improvements, alterations or modifications conceived by The Slide Experts or any of its employees, consultants or agents. If the scope of work requires The Slide Experts to incorporate a trademark or other intellectual property owned by Buyer or a third party, The Slide Experts will provide a written statement from the Buyer or third party of such intellectual property consenting to its use in the scope of work. Upon the executing of this document, Buyer transfers any and all rights regarding any and all photographic or artistic

representations produced by The Slide Experts of the project before, during or after completion of the project for their exclusive use in The Slide Experts sales and marketing efforts or in any other activity The Slide Experts deems appropriate.

10. **INDEMNIFICATION:** Buyer will indemnify and hold harmless The Slide Experts, its parent, subsidiaries, affiliates, agents, shareholders, directors, and employees from and against all damages, costs and liabilities (including reasonable attorney's fees and expenses) arising from or related to the actions or inaction of Buyer, its agents and employees and others under its direction or control in conjunction with the operation of the scope of work, the Deliverables and installation.

11. **CONFIDENTIALITY:** "Confidential Information" means any and all business, technical or third party information (including without limitation specifications, drawings, sketches, models, samples or documentation) marked as confidential or proprietary (or which a party knows or has reason to know is proprietary) and provided, disclosed, or made available under this Agreement. The parties shall restrict access to the Confidential Information to employees or agents who have a "need to know." The parties, employees, or agents shall not disclose the Confidential Information to any third party and shall treat the Confidential Information in the same way it treats its own Confidential Information of like kind. This provision will not apply to information which is in the public domain, is previously known to the receiving party without obligation of confidentiality, and is independently developed by the receiving party from a third party that does not have an obligation to keep the information confidential.

12. **NOTICES:** Notices required under this Agreement shall be sent to the addresses of the parties stated on page 1 of the Sales Agreement. Notices will be deemed given (a) when delivered, if sent by registered or certified mail (return receipt requested), (b) when delivered, if delivered personally.

13. **GOVERNING LAW; VENUE:** The laws of the State of Colorado shall govern the construction and interpretation of this Agreement without giving effect to any choice or conflict of law provisions (whether of the State of Colorado or any other jurisdiction) that would cause the application of the laws of any jurisdiction other than the State of Colorado. Buyer hereby consents and submits to the jurisdiction of the state and federal courts located in Colorado for any dispute related to this Agreement. Any lawsuit or litigation initiated by either party and related to this Agreement shall occur in the appropriate state or federal court located in Parker, Colorado and Buyer and The Slide Experts agree that suit shall not be brought in any other jurisdiction or location; provided however, nothing contained in this Section shall prohibit The Slide Experts from pursuing lien claims, bond claims, repossession actions or injunctive relief in any appropriate jurisdiction or court.

14. **FORCE MAJEURE:** Neither party is responsible to the other for failure to conform to this Agreement arising from causes beyond its reasonable control, including, but not limited to, labor disputes, unforeseeable delays during shipment, acts of terrorism, floods, civil commotion, war, riot, acts of God, fires, and embargoes.

15. **WAIVER:** The failure of Either Party to insist upon strict performance of any of the terms of this Agreement or to exercise any rights conferred in this Agreement, shall not be construed as a waiver or relinquishment of the right to assert or rely upon any such terms or rights at any future occasion.

16. **ASSIGNMENT:** The rights and obligations under this Agreement may not be assigned without the prior written consent of the non-assigning Party; provided however, that The Slide Experts may assign its rights and obligations under this Agreement to an affiliate or pursuant to a sale of substantially all of the assets or ownership of The Slide Experts.

17. **ENTIRE AGREEMENT:** This Agreement (including the Master Terms and Conditions) is intended to be the final, complete and exclusive expression of the Agreement between the parties. This Sales Agreement supersedes any and all prior written or oral agreements relating to the subject matter hereof. No modification of this Agreement shall be effective except by a written Agreement expressly stating the parties' intent to so modify this Agreement and signed by the parties. No modification of any provision of this Agreement shall be considered a waiver, breach, or cancellation of any other provision of this Agreement. Any provision in the Sales Agreement that is not consistent with the Master Terms and Conditions in this Exhibit A shall be void and not a part of this Sales Agreement.

APPROVED AND ACCEPTED:

Seller: The Slide Experts, Inc.

Buyer:

Title: Owner

Title:

Print Name: James Gardiner

Print Name:

Signature:

Signature:

Date:

Date:

Safe Slide Restoration

"Restoring confidence in your slide."

Dale Cooper LLC DBA Safe Slide Restoration

P.O. Box 186, Fredericktown, MO 63645

989.954.6235 or 855.639.7543

www.safeslides.com

December 12, 2017

Clinton Public Pool / Attn: Morgan Bonnarens
715 S 11th Street / Clinton, Oklahoma 73601
580-704-6009 / morgan.bonnarens@clintonok.gov

Hello Morgan,

The following is a proposal for the restoration of your slide. This proposal is based on the dimensions you sent us on December 1st, 2017. We are the only slide restoration company certified in fiberglass composites by the American Composite Manufacturers Association (ACMA). We have over **20-years** of experience working with fiberglass and gel coat.

- There is a **5 - year warranty** on the paint for adhesion.
- There is a **5 - year warranty** on the structural fiberglass repair not to delaminate.
- There is a **2 - year warranty** on the gel coat. Extend Warranty to **5 - year** with yearly maintenance plan

Slide Description:

Open Flume Body Slide – Blue Exterior / White Interior

Work Description:

Gel Coat - Interior:

- Remove failed coating
- Repair all minor structural repairs in ride path* (minor repair does not require laminating)
- All repairs will be done with vinyl-ester resin
- Prepare interior ride path for Gel Coat
- Lay non-skid at start tub if needed
- Refinish interior ride path of slide with Gel Coat
- Gel Coat will be applied to a thickness of 18 - 24 mils.
- Premium Gel Coat will be used
- Recaulk all seams (recaulking is not a guarantee to stop leaking seams)
- Seams will be caulked with Sikaflex or 3M 4000
- Gel coat RAL color: _____ INIT: _____

Paint - Exterior:

- Wash exterior of slide with cleaner
- Prime-coat bare areas as needed
- Paint exterior with Poly - Siloxane Paint
- Paint RAL color: _____ INIT: _____
- **There will be an additional charge if the exterior needs to be stripped**

Total project amount \$ 42,200.00



We at Safe Slide Restoration are committed to quality and customer satisfaction. We are an international company that provides services to the largest water parks and cruise lines in the world. We look forward to putting our expertise to work for you. Please feel free to call our office at 855-639-7543 or my cell at 989-954-6235 if you have any questions or comments.

Thank you for your consideration, we appreciate your time!

Sincerely,
Joshua Lones
Field Safety Inspector
joshua@safeslides.com

SlideRenu®

Make Every Day Look Like Opening Day!™
5 December 2017

Ms. Morgan Bonnarens
Recreation Director
415 Gary Blvd.
Clinton, Oklahoma - 73601
USA

Dear Morgan,

SlideRenu® is pleased to submit a turnkey proposal for all labor, supervision, equipment, materials and the performance of all work necessary to resurface and/or repaint the water slide(s) and any other service item(s) noted in Exhibit A. located at the COMMUNITY POOL.

A. Coating & Joint Re-Caulking Process

Resurface the interior ride path surfaces of the water slide with our proprietary SlideRenu Aquatic Gelcoat System; ColorShield™ GC12, solid color polyurethane Gelcoat and clear chlorine resistant polyurethane Gelcoat high gloss sealer, ChlorShield™ GCS. Paint exterior surfaces with polysiloxane high glass solid color coating. Re-caulk all interior riding path slide joints.

The detailed process that we will follow for resurfacing the interior ride path and painting the exterior surfaces is as follows. PLEASE NOTE: Not all processes may apply to your project. See Exhibit A. for your specific scope of work.

A.1: Interior Riding Path Surface

The detailed process for resurfacing the interior ride path is described below.

- (1) Remove all calcium build-up, dirt, grime and suntan oils from the interior surface using SlideRenu descaling solution, Calcitrol™ and SlideWax™ Remover, a PH neutral professional grade wax remover and degreaser specifically formulated to remove wax, suntan oils, body lotions and tough surface contaminants on water slides.
- (2) Sand the interior ride path to create an adequate adhesion profile for the SlideRenu Aquatic Polyurethane Gelcoat System.
- (3) Remove all powder and dust created from sanding the surface with a high pressure air hose, commercial vacuum cleaner and/or pressure washer attached to a de-ionizing water filter.
- (4) Wipe the interior ride path surface with a fast evaporating solvent-based surface cleaner and adhesion promoter prior to applying the ColorShield™, solid color polyurethane Gelcoat.

www.SlideRenu.com

• 32961 Pin Oak Parkway, Unit#4, Avon Lake, Ohio - 44012 • O 440.930.2490 • F 440.653.5100 •
PROPOSAL #1087P.12.17.CITY OF CLINTON.OK.WS.0

Page 2 of 8

- (5) Apply ColorShield™, solid color polyurethane Gelcoat on the interior ride path in accordance with the coverage rates specified by the manufacture.
- (6) Apply ChloroShield™, clear chlorine resistant polyurethane Gelcoat high gloss sealer over the cured ColorShield™, solid color polyurethane Gelcoat.
- (7) Wet-sand the ChloroShield™, clear chlorine resistant polyurethane Gelcoat high gloss sealer to remove any undesirable surface imperfections, airborne contaminants and positive or negative profiles that may arise after the final curing stage.
- (8) Using a high speed buffing machine, wax the interior riding surface to create a smooth, high gloss, slippery finish using SlideWax professional polymer wax and SlideGloss spray on finishing wax, fortified with Teflon®.

A.2: Exterior Surface

The detailed process for repainting the exterior surface is described below.

- (1) Remove dirt, grime and other surface contaminants using a pressure washer and a low PH descaling solution. Calcitrol™ and SlideDetergent™, a high PH surface degreaser specifically formulated to remove leaf stains, bird droppings and tough surface contaminants on water slides.
- (2) Remove surface rust from the slide bolts exposed on all exterior fiberglass flanges using a wire wheel/brush and spot prime with SlideRenu stainless steel RustShield™ rust-inhibitor coating.
- (3) Wipe the exterior surface with a fast evaporating solvent-based surface cleaner and adhesion promoter prior to applying the polysiloxane high gloss solid color coating.
- (4) Apply polysiloxane high gloss solid color coating on the exterior surfaces in accordance with the coverage rates specified by the manufacture.

A.3: Interior Ride Path Seams

The detailed process for re-caulking the interior ride path slide seams is described below.

- (1) Remove loose or worn slide joint caulk and wipe seams with a solvent-based caulk adhesion promoter.
- (2) Where possible, using a utility knife, create a V-shape caulking groove in the slide joint to ensure placement of the caulk. Joints that are permanently sealed with resin/hard-cured sealant require grinding and will not be re-caulked unless specified in Section F.
- (3) Re-caulk joints with the slide manufacturers' or industry standard replacement caulk such as SikaFlex® 291 Fast Cure. (PLEASE NOTE: These caulking compounds have a cure time of 1-3 days and remain semi-pliable when fully cured.)

B. Certified Applicator

SlideRenu will appoint one of its certified applicators to perform all the work. We will notify the customer with the contact info of the on-site foreman not less than 5 days prior to starting the work. All of our technicians are OSHA certified and registered in the E-Verify program.

Please do not share the financial aspects of this proposal with any on-site project personnel. They have a copy of the Scope of Work outlined in Section E. Any financial related questions should be directed to Sales@SlideRenu.com or by calling 440.930.2490.

www.SlideRenu.com

• 32961 Pin Oak Parkway, Unit#4, Avon Lake, Ohio – 44012 • O 440 930 2490 • F 440.653 5100 •
PROPOSAL #1087P.12.17.CITY OF CLINTON.OK.WS.0

Page 3 of 8

C. Job Site Access & Safety Precautions

Our technicians may access the water slides using ladders, self-erected scaffolding and/or man-lifts. Our certified applicators will carry adequate Worker's Compensation Insurance during the entire project. The work will be performed during the approved work hours as determined by the customer which will not be less than 10 hours/day.

Our technicians shall at all-times keep the premises free from accumulation of waste materials or rubbish caused by performing the work. Upon completion of the work, waste materials, rubbish and tools, equipment, machinery and surplus materials shall be removed from the job site. All building surfaces and work areas will be left "broom clean".

D. SlideRenu Surface Preparation Products

All water slide surfaces will be properly prepared with SlideRenu cleaning products and/or other commercial surface prep products which meet or exceed current environmental regulations, i.e. biodegradable, contain no lead, human safety, non-hazardous material disposal, etc. The surface preparation products will be applied in accordance with the surface prep application instructions provided by the manufacturer of the cleaners. Our certified applicators will have sole discretion over the type and brand of surface preparation products to be used on the slide.

E. Coating Specifications

The coatings will be applied in accordance with the application instructions provided by the manufacturers to ensure the long-term performance of the coating; PPG, SW and SlideRenu.

SlideRenu aftermarket waterslide polyurethane gelcoat coatings are formulated to form a chemical bond with existing gelcoat surfaces that, when cured, out-perform factory-applied epoxy resin gelcoat. The SlideRenu gelcoat system penetrates deep into factory applied gelcoat and fills-in the microscopic porous fiberglass cavities to retard oxidation and chalking. The coating system will be sprayed only by qualified technicians.

Our coatings have been formulated especially for use on all types of color-faded gelcoat water slide surfaces. The coatings are high-solid; contain low VOC's (fumes) or zero lead and have outstanding resistance to abrasion caused by riders, mats, tubes, etc. Unlike factory applied epoxy gelcoat or off the shelf marine gelcoat, SlideRenu polyurethane gelcoat are CHLORINE RESISTANT and suitable for pool water immersion and have excellent resistance to ultra violet light degradation. The ChloroShield™, clear chlorine resistant Polyurethane Gelcoat high gloss sealer was developed by SlideRenu to address the premature color fading of off the shelf marine gelcoats used by most contractors. ChloroShield clear chlorine resistant Polyurethane Gelcoat high gloss sealer give you an added envelope of protection against color fading from the use of off the shelf marine epoxy resin gelcoat.

SlideRenu polyurethane gelcoat will provide a long-term WET-LOOK SHINE and color retention to all color-faded gelcoat water slide surfaces reducing, or in some cases, eliminating the need to polish the slides more than once each year. With proper maintenance the coating system should last about seven (7) years. The slides may also be resurfaced anytime they begin to look weathered or at the discretion of the water park management. The recoat time period depends upon the annual usage, i.e. wear and tear, volume of riders, operating hours, etc., of the slide and a variety of environmental factors that are specific to your particular geographic area.

SlideRenu polyurethane gelcoat and maintenance products have been specifically formulated to outperform marine gelcoat and resist color fading. Most water slide applicators use off-the-shelf marine epoxy gel-coat or automotive paints which are not suited for chlorine water immersion or abrasion from riders and, as a result, these coatings prematurely fade, chalk, turn yellow and peel after one season.

You can be sure that your slides will be resurfaced and protected with the most technologically advanced coating system in the water park industry today. We guarantee our coatings will protect your water slides for years to come (see Limited Product Warranty on our website at www.SlideRenu.com to view a copy online).

www.SlideRenu.com

• 32961 Pin Oak Parkway, Unit#4, Avon Lake, Ohio - 44012 • O 440 930 2490 • F 440 653 5100 •
PROPOSAL #1087P.12.17.CITY OF CLINTON,OK,WS.0

Page 4 of 8

F. Optional Repairs

During the course of our work, we may recommend other repairs to your slides for safety and structural reasons that are outside the scope of work defined in Exhibit A. You are under no obligation to accept any of our recommendations and we will not move forward on any of our recommendations without written approval from you.

Optional costs, if not covered in Exhibit A., will be charged at the following on-site job rates:

- Re-Caulk Interior Joints: \$25/Seam
- Permanently Seal Seams with PermaSeam™ Seamless Fiberglass System: \$ 600/Seam (36" width)
PermaSeam™ is backed by a 3-YEAR WORKMANSHIP WARRANTY and a 5-YEAR, NO-LEAK GUARANTEE
Please Contact Us for a Custom PermaSeam™ Quotation.
- Additional Repairs Using Fiberglass Resin/Gelcoat: \$ 150/Hour/Technician (Includes Materials)

G. Optional Annual Maintenance Contract

If you don't have sufficient in-house resources to get your slide ready for opening day or to properly close down your slide at the end of the season, we can provide you with an annual maintenance contract. The scope of work includes cleaning, descaling, polishing, high-speed waxing all interior surfaces, re-caulking all ride path seams and repairing MINOR interior surface imperfections with fiberglass polyester resin. Discounts are available for multi-year contracts. Please contact us for a custom quote.

H. Work Completion Time

Our work completion time estimates are contingent upon a minimum of 8 hours/day of unrestricted access to the job site, uninterrupted supply of service utilities and suitable weather conditions for applying caulking, coatings and other temperature sensitive materials.

I. Payment Terms

Due to upfront financial commitments with other vendors associated in this project, our standard payment terms are: (1) 50% down payment and (2) balance due upon completion of the project and delivery of our invoice. A 4% credit card processing fee will be assessed on the total amount charged when paying by credit card.

J. Prices & Terms Validity

The prices and terms quoted in this proposal are subject to acceptance by an authorized representative and are valid for (60) days from the date of acceptance.

K. Insurance

If requested, SlideRenu will furnish a Certificate of Commercial General Liability & Worker's Compensation Insurance evidencing such coverage and naming the contract holder as an additional insured beneficiary.

L. Standard Warranty

SlideRenu will provide a THREE (3) YEAR interior and FIVE (5) YEAR exterior warranty at the completion of the project which warrants the PERFORMANCE OF THE COATINGS used on the project against excessive; chalking, loss of gloss and color fading. If the product fails to perform in this manner, SlideRenu will, at its sole option, replace only the coatings which have failed with SlideRenu brand or customer-specified coatings at no-charge or reimburse the customer for purchasing replacement coatings up to \$300/gallon. RE-APPLICATION LABOR IS NOT COVERED.

The WORKMANSHIP WARRANTY is TWO (2) YEARS from the completion date of the project and covers the delamination of the coatings. In the event of delamination or peeling, we will repair the delaminated areas in accordance with the process described in Section A.I. at no-charge, or at our sole option, reimburse the customer for the cost of repairing the damaged area(s) based on the average of three (3) independent painting contractor quotes. All warranty claims must be made in writing within the proper allotted time period and will be settled by SlideRenu within a reasonable amount of time. SURFACE CHIPS ARE CAUSED BY IMPROPER BATHING SUIT ATTIRE AND/OR ABRASIVE RAFT SURFACES AND ARE NOT COVERED.

www.SlideRenu.com

• 32961 Pin Oak Parkway, Unit#4, Avon Lake, Ohio - 44012 • O 440 930 2490 • F 440 653 5100 •
PROPOSAL #1087P.12.17.CITY OF CLINTON,OK.WS.0

Page 5 of 8

M. Optional Extended Warranty

The extended Body Slide warranty program covers two (2) types of repairs; non-safety and safety.

Body Slide Non-Safety Repairs: During the extended warranty period, SlideRenu will repair and resurface all minor chips, scratches, gouges, cracks and areas where the coating may have delaminated. In addition, we will inspect and re-caulk interior ride path seams that contain loose or missing caulk. These services will be performed after the slides are closed for the season and during such time when the water in the pool has not been drained. Non-safety repairs are limited to one (1) onsite visit by our technician for each year of the extended warranty period, e.g. 3 year extended warranty / 3 total visits.

Body Slide Safety Repairs: During the extended warranty period, SlideRenu will provide on-site temporary repair instructions to immediately address any safety issues in order to keep the slide operating in a safe manner. SlideRenu will then send out a technician to permanently repair any safety issues if they are not caused by a product failure. We will make every reasonable attempt to address these safety issues as soon as possible.

Raft Slide Repairs: Coatings that have been worn / removed due to abrasion caused by improperly maintained raft slide bottoms, e.g. exposed fiberglass, rough surfaces, etc. are not covered under our standard or extended warranty programs.

There will be no additional cost as long as the extended warranty program has been paid in full prior to the start of any of the extended warranty programs. PLEASE CONTACT US FOR A CUSTOM QUOTE.

***** PLEASE NOTE *****

Due to wear and tear on the ride path, warranty resurfacing repairs will not match the initial color exactly. We will do our best to custom color match the repair areas in an effort to make the surface as uniform in color as possible.

Repairs required due to vandalism, acts of nature, and improper maintenance procedures (i.e. aggressive cleaning chemicals, operating pool continuously at higher than 3 ppm chlorine level, and improper use of a pressure washer) are not covered under the Standard or Extended Warranty Programs.

N. Proposal Acceptance

If required, we will send you a contract for signature to formalize this proposal when you are ready to move forward with the project. If you don't require a formal contract from us, please send us your contract for signature or sign below to accept this proposal so we can begin to manufacture the custom coatings.

Your signature on this proposal creates a legal and binding contract, the terms which are provided herein. Modification to the provisions contained above may be made upon written acceptance by both parties. Furthermore, your acceptance gives us permission to use any before, in progress and after pictures of any of the slides we service at your facility in our advertising/marketing materials.

PROPOSAL ACCEPTANCE

I, a duly authorized representative of the customer, hereby agree to the contractual provisions contained in this proposal and will submit a binding purchase order evidencing our acceptance of the price, payment terms and scope of work contained in this proposal.

Customer Signature

Date

Printed Name & Title

If you have any questions regarding this proposal, please don't hesitate to contact me. We look forward to working with you to restore, protect and extend the life of your water park's most vital assets.

Regards,

George M. Fischer
President



IAAPA



SlideRenu®

EXHIBIT A Turnkey Proposal

TOTAL PROJECT COST						\$ 32,130
#	Name / Description / Type	Length'	Width"	Sq. Ft.	Cost	
1	SLIDE #1 OPEN BODY SLIDE					
	Gelcoat Interior Ride Path Surface	192	36	1,800	\$ 17,370	\$ 32,130
	Repaint Exterior Surface	192	36	1,900	\$ 14,760	
	Re-Caulk Interior Riding Path Seams	Included				
	Perform Minor Fiberglass Repairs	Included				
	Other -					
2	SLIDE #2					
	Gelcoat Interior Ride Path Surface					
	Repaint Exterior Surface					
	Re-Caulk Interior Riding Path Seams	Included				
	Perform Minor Fiberglass Repairs	Included				
	Other -					
3	SLIDE #3					
	Gelcoat Interior Ride Path Surface					
	Repaint Exterior surface					
	Re-Caulk Interior Riding Path Seams					
	Perform Minor Fiberglass Repairs					
	Other -					
4	SLIDE #4					
	Gelcoat Interior Ride Path					
	Repaint Exterior Surface					
	Re-Caulk Interior Riding Path Seams					
	Perform Minor Fiberglass Repairs					
	Other -					
5	SLIDE #5					
	Gelcoat Interior Ride Path					
	Repaint Exterior Surface					
	Re-Caulk Interior Riding Path Seams					
	Perform Minor Fiberglass Repairs					
	Other -					

NOTE: The above cost is based on all work defined above performed under one purchase order and one mobilization trip.

The turnkey proposal includes all delivery charges, labor, materials, site preparations, man-lift rental fees and all expenses associated with the completion of this project, the scope of which is outlined in Exhibit A.

Applicable taxes, bonds or credit card processing fees, if any, are not included. If you are tax-exempt, please send a copy of your certificate with the PO or contract.

www.SlideRenu.com

• 32961 Pin Oak Parkway, Unit#4 Avon Lake Ohio - 44012 • O 440 930 2490 • F 440 653 5100 •
PROPOSAL #1087P.12.17.CITY OF CLINTON.OK.WS.0

Page 8 of 8